











## **IQV®20 SERIES CORDLESS TOOLS**

Cordless Convenience.

### CORDLESS CONVENIENCE. **UNCOMPROMISING POWER.**

The Ingersoll Rand® IQV®20 Series tools offer versatile performance, cordless convenience and rugged durability in compact packages with class-leading ergonomics—key benefits in the automotive services and MRO markets.

#### **ACCESSIBILITY**

The compact, cordless design of every IQV ®Series tool makes accessing tight spaces easier.

#### COMFORT

Lightweight design and ergonomic handles help minimize fatigue, making tools more comfortable to hold.

#### **DURABILITY**

Chemical- and impact-resistant housings withstand tough environments and repeated drops, while protecting interior components.







Repair















W9691 20V 1" Cordless Impact Wrench

### CHOOSE YOUR POWER.

The Ingersoll Rand® IQV®20 Series of 20-volt tools deliver hard-hitting, long-lasting power, with the uncompromising ability to stand up to the all day, every day demands of professionals. IQV®20 Series tools **Do the Job, Do it Fast, Do it Every Time.** 



Ingersoll Rand's BC1121 lithium-ion universal charger gets all of the batteries in our IQV®20 Series\* lineup charged and ready to go whenever you are. With our 20V batteries, this innovative, multi-use battery charger will make it easier and faster to have a freshly charged battery to get your work done now, not later.



<sup>\*</sup>For use with any of our IQV®20 & IQV12 Lithium-Ion Batteries.

### **IQV®20 SERIES IMPACT WRENCH**

W5133 %", W5133P %", W5153 ½" & W5153P ½"

#### Tuned impact mechanism -

delivers 550 ft-lb nut-busting torque and 365 ft-lb of MAX torque from a tool that measures just 7" from tip to tail and weighs only 5.3 lbs (with BL2022 battery)

**Patented Shadowless** 360 degree LED light ring with task light mode and 4 dimmable settings

#### All-metal drivetrain and

hammer mechanism is robust, durable and optimized for maximum power and efficiency

Variable-speed switch with electronic brake provides maximum control of the tool and increases safety—release trigger, drive stops spinning

Tough composite housing and patented steel-reinforced frame protects against aggressive fluids, chemicals and repeated drops

#### **IDEAL FOR:**












Light Assembly



Maintenance

Powerful brushless motor delivers durability and efficiency as well as best-in-class power-to-weight ratio

Patented IQV Power Control System includes 4 modes —full power, mid power, wrench tight, and hand tight—so there is no need to switch tools





IQV®2	O SERIES IM	PACT W	RENCH						
Model	Battery	Voltage DC	Drive Size Type	Impacts per Minute	No-Load Speed rpm	Nut-Busting Torque ft-lb (Nm)	Torque	Tool & B Weight Ib (kg)	Sattery Length in (mm)
W5133	BL2022-5.0 Ah	20	3/8", Square Socket Retaining Ring	3,300	0-2,100	550 (745)	365 (495)	5.29 (2.40)	7 (179)
W5133P	BL2022-5.0 Ah	20	3/8", Square Pin Detent	3,100	0-2,100	550 (745)	365 (495)	5.29 (2.40)	7 (179)
W5153	BL2022-5.0 Ah	20	1/2", Square Socket Retaining Ring	3,300	0-2,100	550 (745)	365 (495)	5.39 (2.44)	7.2 (183)
W5153P	BL2022-5.0 Ah	20	1/2", Square Pin Detent	3,300	0-2,100	550 (745)	365 (495)	5.39 (2.44)	7.2 (183)



AVAILABLE	IN KITS
Item No.	Kit Details
W5133-K12	3/8" Impact Wrench, Charger, 1 BL2022 Li-ion Battery & Bag
W5133-K22	3/8" Impact Wrench, Charger, 1 BL2012 Li-ion Battery, 1 BL2022 Li-ion Battery & Bag
W5133P-K22	3/8" Pin Impact Wrench, Charger, 2 BL2022 Li-on Batteries & Bag
W5153-K12	1/2" Impact Wrench, Charger, 1 BL2022 Li-ion Battery & Bag
W5153-K22	1/2" Impact Wrench, Charger, 1 BL2012 Li-ion Battery, 1 BL2022 Li-ion Battery & Bag
W5153P-K22	1/2" Pin Impact Wrench, Charger, 2 BL2022 Li-ion Batteries & Bag

### **IQV®20 SERIES HIGH CYCLE IMPACT WRENCH** *W5111 1/4' & W5151P 1/2'*



**Tuned impact mechanism** delivers 175 ft-lb of maximum torque, ready to perform job after job

1/4" Hex, 1/2" Pins

for maximum versatility and secure and accurate rundowns

Durable, steel-lined aluminum hammer case is designed to protect internal components, while patented metal reinforced housing withstands repeated drops

Fast application speeds -

help meet plant throughput goals

Compact design makes operation and access easier in tight spots

### **IDEAL FOR:**









All-metal drivetrain and hammer mechanism is robust, durable and optimized for maximum power and efficiency

High-power rare earth magnet (neodymium) motor and replaceable brushes offer a long, durable life and high power

Rubber over-molded grip minimizes vibration, reduces fatigue and enhances user comfort during extended use

IQV®20	O SERIES HIG	H CYCLE II	MPACT WRENCH					
Model	Battery	Voltage DC	Drive Size Type	Impacts per Minute	No-Load Speed rpm	MAX Torque ft-lb (Nm)	Tool Weight Ib (kg)	& Battery Length in (mm)
W5111	BL2012-2.5 Ah	20	1/4", Hex Quick Change	2,800	0-1,900	160 (215)	3.5 (1.6)	6.0 (152)
W5111	BL2022-5.0 Ah	20	1/4", Hex Quick Change	2,800	0-1,900	175 (240)	4.2 (1.9)	6.0 (152)
W5151P	BL2012-2.5 Ah	20	1/2", Square Pin Detent	2,800	0-1,900	160 (215)	3.5 (1.6)	6.1 (154)
W5151P	BL2022-5.0 Ah	20	1/2", Square Pin Detent	2,800	0-1,900	175 (240)	4.2 (1.9)	6.1 (154)



AVAILABLE IN KITS								
Item No.	Kit Details							
W5111-K12	1/4" Hex Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case							
W5111-K22	1/4" Hex Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case							
W5151P-K12	1/2" Pin Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case							
W5151P-K22	1/2" Pin Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case							



# IQV®20 SERIES RIGHT ANGLE IMPACT WRENCH W5330 %" & W5350 ½"



ratchet or your bare hands

IQV®2	O SERIES RIGH	IT ANGL	E IMPACT WRENCH					
Model	Battery	Voltage DC	Drive Size Type	No-Load Speed rpm	MAX Torque ft-lb (Nm)	Tool & Battery Weight Length Ib (kg) in (mm		
W5330	BL2012-2.5 Ah	20	3/8", Square Socket Retaining Ring	0-1,900	180 (245)	4.55 (2.06)	17.25 (439)	
W5330	BL2022-5.0 Ah	20	3/8", Square Socket Retaining Ring	0-1,900	190 (258)	5.15 (2.27)	17.25 (439)	
W5350	BL2012-2.5 Ah	20	1/2", Square Socket Retaining Ring	0-1,900	180 (245)	4.55 (2.06)	17.25 (439)	
W5350	BL2022-5.0 Ah	20	1/2", Square Socket Retaining Ring	0-1,900	190 (258)	5.15 (2.27)	17.25 (439)	



AVAILABLE IN F	KITS
Item No.	Kit Details
W5330-K12	3/8" Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case
W5330-K22	3/8" Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case
W5350-K12	1/2" Impact Wrench, Charger, 1 BL2012 Li-ion Battery & Case
W5350-K22	1/2" Impact Wrench, Charger, 2 BL2012 Li-ion Batteries & Case

### **IQV®20 SERIES IMPACT WRENCH**

W7152 ½", W7152P ½" & W7252 ½"

High grade allow steel impact mechanism delivers 1500 ft-lb nut-busting torque and 1000 ft-lb of MAX torque from a tool that measures just 8.1" from tip to tail and weighs only 7.6 lbs (with BL2022 battery)

**Patented Shadowless** 360 degree LED light ring with task light mode and 4 dimmable settings

All-metal drivetrain and

hammer mechanism is robust, durable and optimized for maximum power and efficiency

Variable-speed switch with electronic brake provides maximum control of the tool and increases safety—release trigger, drive stops spinning

Tough composite housing and patented steel-reinforced frame protects against aggressive fluids, chemicals and repeated drops

#### **IDEAL FOR:**







Equipment Repair Industrial



Liaht



Powerful brushless motor delivers durability and efficiency as well as best-in-class power-to-weight ratio

Patented IQ<sup>v</sup> Power Control System includes 4 modes —full power, half power, wrench tight, and hand tight—so there is no need to switch tools



\*\*Requires 5.0 Ah battery for maximum performance

IQV®20	SERIES IMP.	ACT WF	RENCH						
Model	Battery	Voltag DC	Drive e Size Type	Impacts per Minute	Free Speed rpm	Nut-Busting Torque ft-lb (Nm)	MAX Torque ft-lb (Nm)	Tool & Weight Ib (kg)	Battery Length in (mm)
W7152	BL2022-5.0 Ah	20V	1/2", Socket Retaining Ring	2450	0-1,900	1500 (2033)	1000 (1360)	7.6 (3.4)	8.1 (207)
W7152P	BL2022-5.0 Ah	20V	1/2", Square Pin Detent	2450	0-1,900	1500 (2033)	1000 (1360)	7.6 (3.4)	8.1 (207)
W7252	BL2022-5.0 Ah	20V	1/2", Socket Retaining Ring	2450	0-1,900	1500 (2033)	1000 (1360)	7.9 (3.6)	10.1 (257)



<b>AVAILABLE IN K</b>	ITS
Item No.	Kit Details
W7152-K12	1/2" Impact Wrench, Charger, 1 BL2022 Li-ion Battery & Bag
W7152-K22	1/2" Impact Wrench, Charger, 2 BL2022 Li-ion Batteries, & Bag
W7152P-K22	1/2" Pin Impact Wrench, Charger, 2 BL2022 Li-ion Batteries & Bag
W7252-K22	1/2" Impact Wrench, Charger, 2 BL2022 Li-ion Batteries & Bag



### **IQV®20 SERIES IMPACT WRENCH**

W7172 3/4"

#### Tuned impact mechanism

1500 ft-lb nut-busting torque and 1000 ft-lb of MAX torque from a tool that measures just 8.5" from tip to tail and weighs only 7.8 lbs (with BL2022 battery)

**Patented Shadowless** 360 degree LED light ring with task light mode and 4 dimmable settings

All-metal drivetrain and

hammer mechanism is robust, durable and with IPX6 rating is optimized for maximum power and efficiency

Variable-speed switch with electronic brake provides maximum control of the tool and increases safety-release trigger, drive stops spinning

Tough composite housing and patented steel-reinforced frame protects against aggressive fluids, chemicals and repeated drops

### **IDEAL FOR:**







Heavy Equipment Repair



General

Powerful brushless motor delivers durability and efficiency as well as best-in-class

power-to-weight ratio

Patented IQ<sup>v</sup> Power **Control System** includes 4 modes —max power, half power, wrench tight, and hand tight—so there is no need to switch tools



\*Requires 5.0 Ah battery for maximum performance

IQV®2	IQV®20 SERIES IMPACT WRENCH													
Model	Battery	Voltage DC	Drive Size Type	Impacts per Minute	Free Speed rpm	Nut-Busting Torque ft-lb (Nm)	MAX Torque ft-lb (Nm)	Tool & Weight Ib (kg)	Battery Length in (mm)					
W7172	BL2022-5.0 Ah	20V F	3/4", Square Socket Retaining Ring & Thru-Hole	2450	0 -1900	1500 (2033)	1000 (1360)	7.8 (3.5)	8.5 (215)					




AVAILABLE IN KITS	
Item No.	Kit Details
W7172-K12	3/4" Impact Wrench, Charger, 2 BL2022 Li-ion Battery & Bag

# IQV®20 SERIES CORDLESS IMPACT WRENCH W9491 1" & W9691 1"

The Ingersoll Rand® 1" cordless impact wrench combines the power of air with the freedom of cordless mobility. Give your operators the ability to move about freely, in applications where space and maneuverability are at a premium.

W9691 immediately gives the operator the full amount of power required. With its quick setup W9691 lets operators get in and out faster. Ingersoll Rand innovation ensures balanced weight, ergonomic D-handle with 360 auxiliary handle, and protected IQV®20 battery configuration with power for a full day's work.





Model	Item	Full Forward Torque (ft-lb)	Full Forward Torque (Nm)	Nut Busting Torque (ft-lbs)	Nut Busting Torque (Nm)	RPM	Weight (lb)	Weight (kg)	Length (in)	Length (mm)	Width (in)	Width (mm)		l Voltage	asteners per charge
W9691	Bare Tool	2200	2982	3000	4067	890	25.9	13.2	26.1	663	6.9	176	1	2x20V	250
W9491	Bare Tool	2200	2982	2600	3525	890	24.3	12.	20.1	511	6.9	176	1	2x20V	250



KITS															
W9691-K4E	Kit:	2200	2982	3000	4067	890	29.1	18.1	26.1	663	6.9	176	1	2x20V	250
	1 6" extended anvil Tool, 4 batteries, 1 dual bay charger, 1 cord														
W9491-K4E	Kit:	2200	2982	2600	3525	890	27.5	17.	20.1	511	6.9	176	1	2x20V	250
	1 std Tool, 4 batteries, 1 dual bay charger, 1 cord														

### **IQV®20 SERIES RATCHET WRENCH**

R3130 %" & R3150 ½"



IQV®20 SERIES RATCHET WRENCH								
Model	Battery	Voltage DC	Drive Size Type	No-Load Speed rpm	MAX Torque ft-lb (Nm)	Tool & Ba Weight Ib (kg)	attery Length in (mm)	
R3130	BL2012-2.5 Ah	20	3/8", Square	0-225	54 (73)	4.4 (2.0)	17.5 (445)	
R3130	BL2022-5.0 Ah	20	3/8", Square	0-225	54 (73)	5.0 (2.3)	17.5 (445)	
R3150	BL2012-2.5 Ah	20	1/2", Square	0-225	54 (73)	4.4 (2.0)	17.5 (445)	
R3150	BL2022-5.0 Ah	20	1/2", Square	0-225	54 (73)	5.0 (2.3)	17.5 (445)	



AVAILABLE IN KITS				
Item No.	Kit Details			
R3130-K12	3/8" Ratchet, Charger, 1 BL2012 Li-ion Battery & Case			
R3130-K22	3/8" Ratchet, Charger, 2 BL2012 Li-ion Batteries & Case			
R3150-K12	1/2" Ratchet, Charger, 1 BL2012 Li-ion Battery & Case			
R3150-K22	1/2" Ratchet, Charger, 2 BL2012 Li-ion Batteries & Case			

### IQV®20 SERIES DRILL/DRIVER

D5140 1/2"

Facilities

Maintenance

Repair

General



#### IQV®20 SERIES DRILL/DRIVER Tool & Battery Drive MAX No-Load Speed rpm Weight Voltage Size **Stall Torque** Length Model **Battery** DC Type High Low in-lb (Nm) lb (kg) in (mm) D5140 BL2022 -5.0 Ah 1/2", Chuck 0-500 0-1,900 700 (80) 5.4 (2.45) 9.25 (235)



### **IQV®20 SERIES GREASE GUN**

LUB5130

High operating pressure and flow rate powers through clogged fittings, quickly delivering grease and reducing job time

**Extended durability** with a high-power, long-life motor and Easy 3-way load all-metal drivetrain system for maximum versatility with cartridge, bulk and manual loading

**IDEAL FOR:** 







Maintenance

100 20	SERIES GRE	102 0011	Pressure	Flow Rate	Cannister Grease		Grease	Tool & Battery		
Model	Battery	Voltage DC	PSI (Bar)	oz/min (g/min)	Capacity oz (g)	Type NLGI	Hose Length in (mm)	Weight Ib (kg)	•	
LUB5130	BL2012 - 2.5 Ah	20	6250 (431)	2.6 (75)	14 (400)	2-4	30 (762)	7.2 (3.3)	19x8x4 (490x200x94)	
LUB5130	BL2022 - 5.0 Ah	20	6250 (431)	2.6 (75)	14 (400)	2-4	30 (762)	7.7 (3.5)	19x8x4 (490x200x94)	



AVAILABLE IN KITS					
Item No.	Kit Details				
LUB5130-K12	20V Grease Gun, Charger, 1 BL2012 Li-ion Battery & Case				

**Electronic shutdown** and high-pressure LED indicator prevents grease

> Standard 30" hose improves reach, helps operators access tight spots

spills and extends

motor life

20V Grease Gun, Charger, 1 BL2012 Li-ion Battery & Case





#### Learn more at www.ingersollrand.com